

SIGMA-ALDRICH

sigma-aldrich.com

Material Safety Data Sheet

Version 4.0
Revision Date 07/25/2010
Print Date 01/27/2011

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : 2-Furaldehyde
Product Number : 185914
Brand : Sigma-Aldrich
Company : Sigma-Aldrich
3050 Spruce Street
SAINT LOUIS MO 63103
USA
Telephone : +18003255832
Fax : +18003255052
Emergency Phone # : (314) 776-6555

2. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

Combustible Liquid, Target Organ Effect, Toxic by inhalation., Toxic by ingestion, Irritant, Carcinogen

Target Organs

Nerves, Liver, Kidney

Other hazards which do not result in classification

Photosensitizer.

GHS Label elements, including precautionary statements

Pictogram



Danger

Hazard statement(s)

H226 Flammable liquid and vapour.
H301 Toxic if swallowed.
H312 Harmful in contact with skin.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H330 Fatal if inhaled.
H351 Suspected of causing cancer.
H371 May cause damage to organs.
H402 Harmful to aquatic life.

Precautionary statement(s)

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P280 Wear protective gloves/ protective clothing.
P294 Wear respiratory protection.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 Immediately call a POISON CENTER or doctor/ physician.

HMS Classification

Health hazard: 4

Chronic Health Hazard: 2

Flammability: 2

00001205

Sigma-Aldrich - 185914
Delivery 0837759420-000010 Purchase Order P0107829

Physical hazards: 0

NFPA Rating

Health hazard: 4

Fire: 2

Reactivity Hazard: 0

Potential Health Effects

Inhalation Toxic if inhaled. Causes respiratory tract irritation.
Skin May be harmful if absorbed through skin. Causes skin irritation.
Eyes Causes eye irritation.
Ingestion Toxic if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms : Furan-2-carboxaldehyde
Furfural

Formula : C₅H₄O₂

Molecular Weight : 96.08 g/mol

CAS-No.	EC-No.	Index-No.	Concentration
2-Furaldehyde	202-627-7	605-010-00-4	-
98-01-1			

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

For small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.

Special protective equipment for fire-fighters

Wear self contained breathing apparatus for fire fighting if necessary.

Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Sigma-Aldrich - 185914
Delivery 0837759420-000010 Purchase Order P0107829

Environmental precautions
Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up
Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in cool place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Update	Basis
2-Furaldehyde	98-01-1	TWA	2 ppm	2007-01-01	USA, ACGIH Threshold Limit Values (TLV)
Remarks	Eye & Upper Respiratory Tract Irritation Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Confirmed animal carcinogen with unknown relevance to humans: The agent is carcinogenic in experimental animals at a relatively high dose, by route(s) of administration, at site(s), of histologic type(s), or by mechanism(s) that may not be relevant to worker exposure. Available epidemiologic studies do not confirm an increased risk of cancer in exposed humans. Available evidence does not suggest that the agent is likely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure. Danger of cutaneous absorption				
		TWA	2 ppm 8 mg/m3	1989-01-19	USA OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
	Skin notation				
		TWA	5 ppm 20 mg/m3	2006-02-28	USA Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
	Skin designation The value in mg/m3 is approximate. Substance listed; for more information see OSHA document 1910.1047				

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Complete suit protecting against chemicals. Flame retardant antistatic protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form clear, liquid
Colour light brown

Safety data

pH no data available
Melting point -36 °C (-33 °F) - lit.
Boiling point 162 °C (324 °F) - lit.
Flash point 60 °C (140 °F) - closed cup
Ignition temperature 315 °C (599 °F)
Lower explosion limit 2.1 %(V)
Upper explosion limit 19.3 %(V)
Vapour pressure 18.0 hPa (13.5 mmHg) at 55 °C (131 °F)
2.3 hPa (1.7 mmHg) at 20 °C (68 °F)
Density 1.16 g/cm3 at 25 °C (77 °F)
Water solubility soluble
Partition coefficient: log Pow: 0.41
n-octanol/water
Relative vapour density 3.32
- (Air = 1.0)

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Conditions to avoid

Air Avoid moisture. Light.
Heat, flames and sparks.

Materials to avoid

Oxidizing agents, Strong acids

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

11. TOXICOLOGICAL INFORMATION

Acute toxicity

LD50 Oral - rat - 65 mg/kg
LC50 Inhalation - rat - 6 h - 175 ppm
Remarks: Lungs, Thorax, or Respiration; Other changes: Nutritional and Gross Metabolic; Weight loss or decreased weight gain.

Skin corrosion/irritation

Skin - rabbit - Skin irritation - 24 h

Serious eye damage/eye irritation

Eyes - rabbit - Moderate eye irritation - 24 h
Respiratory or skin sensitization
no data available

Germ cell mutagenicity

Genotoxicity in vitro - mouse - lymphocyte
Mutation in mammalian somatic cells.
Genotoxicity in vitro - Human - HeLa cell
DNA inhibition
Genotoxicity in vitro - Human - lymphocyte
Sister chromatid exchange

Carcinogenicity

Carcinogenicity - rat - Oral
Tumorigenic: Equivocal tumorigenic agent by RTECS criteria. Liver: Tumors.
This product is or contains a component that has been reported to be possibly carcinogenic based on its IARC, ACGIH, NTP, or EPA classification.
Limited evidence of carcinogenicity in animal studies

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (2-Furaldehyde)

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure (Globally Harmonized System)
May cause damage to organs.

Specific target organ toxicity - repeated exposure (Globally Harmonized System)
no data available

Aspiration hazard
no data available

Potential health effects

Inhalation
Toxic if inhaled. Causes respiratory tract irritation.
Ingestion
Toxic if swallowed.
Skin
May be harmful if absorbed through skin. Causes skin irritation.
Eyes
Causes eye irritation.

Signs and Symptoms of Exposure
Central nervous system depression, Headache, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Cough

Additional Information

RTECS: L77000000

12. ECOLOGICAL INFORMATION

Toxicity

Toxicity to fish LC50 - Pinephales promelas (fathead minnow) - 32 mg/l - 96 h

Toxicity to daphnia EC50 - Daphnia magna (Water flea) - 29 mg/l - 24 h
and other aquatic
invertebrates.

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

PBT and vPvB assessment

no data available

Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Harmful to aquatic life.

no data available

13. DISPOSAL CONSIDERATIONS

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN-Number: 1199 Class: 6.1 (3)

Proper shipping name: Furaldehydes

Reportable Quantity (RQ): 5000 lbs

Marine pollutant: No

Poison Inhalation Hazard: No

Packing group: II

IMDG

UN-Number: 1199 Class: 6.1 (3)

Proper shipping name: FURALDEHYDES

Marine pollutant: No

Packing group: II

EMS-No: F-E, S-D

IATA

UN-Number: 1199 Class: 6.1 (3)

Proper shipping name: Furaldehydes

Packing group: II

15. REGULATORY INFORMATION

OSHA Hazards

Combustible Liquid, Target Organ Effect, Toxic by inhalation., Toxic by ingestion, Irritant, Carcinogen

DSL Status

All components of this product are on the Canadian DSL list.

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard
Massachusetts Right To Know Components

2-Furaldehyde	CAS-No. 98-01-1	Revision Date 1993-04-24
---------------	--------------------	-----------------------------

Pennsylvania Right To Know Components

2-Furaldehyde	CAS-No. 98-01-1	Revision Date 1993-04-24
---------------	--------------------	-----------------------------

New Jersey Right To Know Components

2-Furaldehyde	CAS-No. 98-01-1	Revision Date 1993-04-24
---------------	--------------------	-----------------------------

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Further Information

Copyright 2010 Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only.
The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product. The information with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Co., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.