SIGMA-ALDRICH

Material Safety Data Sheet

Version 4.1 Revision Date 01/19/2012 Print Date 06/08/2012

1. PRODUCT AND COMPANY IDENTIFICATION				
I. PRODUCT AND COMPANY IL		IFICATION		
Product name	:	Ethyl formate		
Product Number Brand	:	112682 Sigma-Aldrich		
Supplier	:	Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA		
Telephone	:	+1 800-325-5832		
Fax	:	+1 800-325-5052		
Emergency Phone # (For both supplier and manufacturer)	:	(314) 776-6555		
Preparation Information	:	Sigma-Aldrich Corporation Product Safety - Americas Region 1-800-521-8956		

2. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

Flammable liquid, Target Organ Effect, Harmful by ingestion., Irritant

Target Organs

Central nervous system

GHS Classification

Flammable liquids (Category 2) Acute toxicity, Oral (Category 4) Acute toxicity, Inhalation (Category 4) Skin irritation (Category 3) Eye irritation (Category 2A) Specific target organ toxicity - single exposure (Category 3)

GHS Label elements, including precautionary statements

Pictogram



Signal word	Danger
Hazard statement(s) H225 H302 + H332 H316 H319 H335	Highly flammable liquid and vapour. Harmful if swallowed or if inhaled Causes mild skin irritation. Causes serious eye irritation. May cause respiratory irritation.
Precautionary statement(s)	

Frecautionary statement(s)	
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

HMIS Classification	
Health hazard:	2
Chronic Health Hazard:	*
Flammability:	3
Physical hazards:	0
NFPA Rating	
Health hazard:	2
Fire:	3
Reactivity Hazard:	0

Potential Health Effects

Inhalation	May be harmful if inhaled. Causes respiratory tract irritation.
Skin	Harmful if absorbed through skin. Causes skin irritation.
Eyes	Causes eye irritation.
Ingestion	Harmful if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms	: Formic acid ethyl ester	
Formula Molecular Weight	: C ₃ H ₆ O ₂ : 74.08 g/mol	
Component		Concentration
Ethyl formate		
	100 01 1	

Ethyl formate		
CAS-No.	109-94-4	-
EC-No.	203-721-0	
Index-No.	607-015-00-7	

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIREFIGHTING MEASURES

Conditions of flammability

Flammable in the presence of a source of ignition when the temperature is above the flash point. Keep away from heat/sparks/open flame/hot surface. No smoking.

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

Hazardous combustion products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Moisture sensitive.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

-	-	-		
Components	CAS-No.	Value	Control	Basis
			parameters	
Ethyl formate	109-94-4	TWA	100 ppm	USA. ACGIH Threshold Limit Values (TLV)
			303 mg/m3	
		TWA	100 ppm	USA. OSHA - TABLE Z-1 Limits for Air Contaminants -

300 mg/m3

300 mg/m3

100 ppm

TWA

Components with workplace control parameters

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

1910.1000

Limits for Air Contaminants

USA. Occupational Exposure Limits (OSHA) - Table Z-1

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

· •	opourunoo	
	Form	liquid
	Colour	light yellow
Sa	afety data	
	рН	no data available
	Melting point/freezing point	Melting point/range: -80 °C (-112 °F) - lit.
	Boiling point	52 - 54 °C (126 - 129 °F) - lit.
	Flash point	-19 °C (-2 °F) - closed cup
	Ignition temperature	455 °C (851 °F)
	Autoignition temperature	no data available
	Lower explosion limit	2.8 %(V)
	Upper explosion limit	16 %(V)
	Vapour pressure	1,045.0 hPa (783.8 mmHg) at 55 °C (131 °F) 261.2 hPa (195.9 mmHg) at 20 °C (68 °F)
	Density	0.921 g/cm3 at 20 °C (68 °F)
	Water solubility	no data available
	Partition coefficient: n-octanol/water	no data available
	Relative vapour density	2.56 - (Air = 1.0)
	Odour	no data available
	Odour Threshold	no data available
	Evaporation rate	no data available

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

Vapours may form explosive mixture with air.

Conditions to avoid

Heat. Avoid moisture. Heat, flames and sparks. Extremes of temperature and direct sunlight.

Materials to avoid Bases, Oxidizing agents

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides Other decomposition products - no data available

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Oral LD50 LD50 Oral - rat - 1,850 mg/kg Remarks: Behavioral:Somnolence (general depressed activity). Lungs, Thorax, or Respiration:Dyspnea.

Inhalation LC50 Dermal LD50 LD50 Dermal - rabbit - > 18,420 mg/kg

Other information on acute toxicity no data available

Skin corrosion/irritation

Skin - rabbit - Mild skin irritation

Serious eye damage/eye irritation no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity no data available

Carcinogenicity

Carcinogenicity - mouse - Skin

Tumorigenic: Equivocal tumorigenic agent by RTECS criteria. Skin and Appendages: Other: Tumors.

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

no data available

Teratogenicity

no data available

Specific target organ toxicity - single exposure (Globally Harmonized System) Inhalation - May cause respiratory irritation.

Specific target organ toxicity - repeated exposure (Globally Harmonized System) no data available

Aspiration hazard no data available

Potential health effects

Inhalation	May be harmful if inhaled. Causes respiratory tract irritation.
Ingestion	Harmful if swallowed.
Skin	Harmful if absorbed through skin. Causes skin irritation.
Eyes	Causes eye irritation.

Signs and Symptoms of Exposure

Cough, Shortness of breath, Headache, Nausea, Vomiting, narcosis

Synergistic effects no data available

Additional Information

12. ECOLOGICAL INFORMATION

Toxicity

no data available

Persistence and degradability no data available

Bioaccumulative potential no data available

Mobility in soil no data available

PBT and vPvB assessment no data available

Other adverse effects

no data available

13. DISPOSAL CONSIDERATIONS

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 1190 Class: 3 Proper shipping name: Ethyl formate Marine pollutant: No Poison Inhalation Hazard: No	Packing group: II	
IMDG UN number: 1190 Class: 3 Proper shipping name: ETHYL FORMATE Marine pollutant: No	Packing group: II	EMS-No: F-E, S-D
IATA UN number: 1190 Class: 3 Proper shipping name: Ethyl formate	Packing group: II	

15. REGULATORY INFORMATION

OSHA Hazards

Flammable liquid, Target Organ Effect, Harmful by ingestion., Irritant

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

Ethyl formate	109-94-4	1991-07-01
Pennsylvania Right To Know Components		
Ethyl formate	CAS-No. 109-94-4	Revision Date 1991-07-01
New Jersey Right To Know Components		
Ethyl formate	CAS-No. 109-94-4	Revision Date 1991-07-01
California Dava CE Componente	103-34-4	1001 07-01

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Further information

Copyright 2012 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.