

# SAFETY DATA SHEET

Version 6.2 Revision Date 01/15/2020 Print Date 07/26/2020

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 **Product identifiers**

Product name Manganese sulfate monohydrate

**Product Number** : M8179

Sigma-Aldrich Brand Index-No. : 025-003-00-4 : 10034-96-5 CAS-No.

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

# 1.3 Details of the supplier of the safety data sheet

Company Sigma-Aldrich Inc.

> 3050 Spruce Street ST. LOUIS MO 63103

**UNITED STATES** 

Telephone : +1 314 771-5765 : +1 800 325-5052 Fax

# **Emergency telephone number**

800-424-9300 CHEMTREC (USA) +1-703-Emergency Phone #

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Serious eye damage (Category 1), H318

Specific target organ toxicity - repeated exposure, Inhalation (Category 2), Brain, H373

Short-term (acute) aquatic hazard (Category 3), H402 Long-term (chronic) aquatic hazard (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Sigma-Aldrich - M8179 Page 1 of 10



Hazard statement(s) H318 Causes serious eye damage. H373 May cause damage to organs (Brain) through prolonged or repeated exposure if inhaled. H402 Harmful to aquatic life. Toxic to aquatic life with long lasting effects. H411 Precautionary statement(s) P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. P273 Avoid release to the environment. Wear eye protection/ face protection. P280 IF IN EYES: Rinse cautiously with water for several minutes. P305 + P351 + P338 + Remove contact lenses, if present and easy to do. Continue P310 rinsing. Immediately call a POISON CENTER/doctor.

Get medical advice/ attention if you feel unwell.

Dispose of contents/ container to an approved waste disposal

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

Collect spillage.

# **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

P314 P391

P501

Synonyms : Manganese(II) sulfate monohydrate

plant.

Component	Classification	Concentration			
Manganese Sulfate Monohydrate					
	Eye Dam. 1; STOT RE 2; Aquatic Acute 3; Aquatic Chronic 2; H318, H373, H402, H411	<= 100 %			

For the full text of the H-Statements mentioned in this Section, see Section 16.

# **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

Sigma-Aldrich - M8179 Page 2 of 10



#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### 5.2 Special hazards arising from the substance or mixture

Sulphur oxides, Manganese/manganese oxides

# **5.3** Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

# 5.4 Further information

No data available

### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

# 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# 6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

# 6.4 Reference to other sections

For disposal see section 13.



# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

hygroscopic

Storage class (TRGS 510): 11: Combustible Solids

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

**Components with workplace control parameters** 

Component	CAS-No.	Value	Control parameters	Basis
Manganese Sulfate Monohydrate	10034-96-	С	5 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
	Remarks	Ceiling limit is to be determined from breathing-zone air samples.		
		TWA	0.1 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
		Central Nervous System impairment Not classifiable as a human carcinogen		
		varies		
		TWA	0.02 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
		Central Nervous System impairment Not classifiable as a human carcinogen varies		

Sigma-Aldrich - M8179 Page 4 of 10



TWA	1 mg/m3	USA. NIOSH Recommended Exposure Limits
ST	3 mg/m3	USA. NIOSH Recommended Exposure Limits
PEL	0.2 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

# 8.2 Exposure controls

### **Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### Personal protective equipment

### **Eye/face protection**

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail

sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and

Sigma-Aldrich - M8179 Page 5 of 10



approved under appropriate government standards such as NIOSH (US) or CEN (EU).

# Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

a) Appearance Form: solid

Colour: pink

b) Odour odourless

c) Odour Threshold No data available

d) pH 3.0 - 3.5 at 50 g/l at 20 °C (68 °F)

e) Melting point: > 449 °C (> 840 °F) - OECD Test Guideline 102

point/freezing point

f) Initial boiling point Not applicable and boiling range

g) Flash point ()does not flashh) Evaporation rate No data available

i) Flammability (solid, No data available

gas)

j) Upper/lower No data available flammability or

explosive limits

k) Vapour pressure No data availablel) Vapour density No data available

m) Relative density 2.95 g/cm3 at 20 °C (68 °F)

n) Water solubility 762 g/l at 20 °C (68 °F)

o) Partition coefficient: Not applicable for inorganic substances n-octanol/water

p) Auto-ignition temperature

No data available

q) Decomposition 400 - 450 °C (752 - 842 °F) - Elimination of water of temperature crystallisation

850 °C (1562 °F) - (anhydrous substance)

r) Viscosity No data availables) Explosive properties No data availablet) Oxidizing properties No data available

# 9.2 Other safety information

Bulk density ca.1,000 - 1,200 kg/m3



### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No data available

#### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

Avoid moisture.

# 10.5 Incompatible materials

No data available

### 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Sulphur oxides,

Manganese/manganese oxides

Other decomposition products - No data available

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

### **Acute toxicity**

LD50 Oral - Rat - male and female - 2,150 mg/kg

Remarks: (anhydrous substance) (ECHA)

LC50 Inhalation - Rat - male and female - 4 h - > 4.45 mg/l

(OECD Test Guideline 403) Remarks: (anhydrous substance)

#### Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h (OECD Test Guideline 404) Remarks: (anhydrous substance)

# Serious eye damage/eye irritation

Eyes - Rabbit

Result: Irreversible effects on the eye

(OECD Test Guideline 405) Remarks: (anhydrous substance)

# Respiratory or skin sensitisation

No data available

#### **Germ cell mutagenicity**

Ames test

Result: negative

(National Toxicology Program)

# Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

Sigma-Aldrich - M8179 Page 7 of 10

NTP: No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

### Reproductive toxicity

No data available

### Specific target organ toxicity - single exposure

No data available

Acute oral toxicity - After uptake of large quantities:, Nausea, Vomiting, Diarrhoea, gastric pain, Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

Acute inhalation toxicity - Possible damages:, mucosal irritations, tissue damage, Pneumonia

# Specific target organ toxicity - repeated exposure

Inhalation - May cause damage to organs through prolonged or repeated exposure. - Brain

### **Aspiration hazard**

No data available

#### **Additional Information**

RTECS: OP0893500

Men exposed to manganese dusts showed a decrease in fertility. Chronic manganese poisoning primarily involves the central nervous system. Early symptoms include languor, sleepiness and weakness in the legs. A stolid mask-like appearance of the face, emotional disturbances such as uncontrollable laughter and a spastic gait with tendency to fall in walking are findings in more advanced cases. High incidence of pneumonia has been found in workers exposed to the dust or fume of some manganese compounds., Prolonged or repeated inhalation may cause:, Pneumonia

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Manganese compounds are generally only very slightly absorbable via the gastrointestinal tract.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Toxicity to algae static test NOEC - Desmodesmus subspicatus (green algae) - 1 mg/l

- 72 h

(OECD Test Guideline 201)

static test ErC50 - Desmodesmus subspicatus (green algae) - 61

mg/I - 72 h

(OECD Test Guideline 201)

Toxicity to bacteria

Sigma-Aldrich - M8179 Page 8 of 10



# 12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

# 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Toxic to aquatic life with long lasting effects.

Discharge into the environment must be avoided.

# **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods

#### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company.

# Contaminated packaging

Dispose of as unused product.

# **SECTION 14: Transport information**

## DOT (US)

Not dangerous goods

#### **IMDG**

UN number: 3077 Class: 9 Packing group: III EMS-No: F-A, S-F Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(Manganese Sulfate Monohydrate)

Marine pollutant : yes

### **IATA**

UN number: 3077 Class: 9 Packing group: III

Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Manganese

Sulfate Monohydrate) **Further information** 

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids

or > 5kg for solids.

### **SECTION 15: Regulatory information**

Sigma-Aldrich - M8179 Page 9 of 10

#### **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

Manganese Sulfate Monohydrate CAS-No. Revision Date 2015-07-08

### SARA 311/312 Hazards

Chronic Health Hazard

### **Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

# **Pennsylvania Right To Know Components**

Manganese Sulfate Monohydrate CAS-No. Revision Date 10034-96-5 2015-07-08

#### **SECTION 16: Other information**

#### **Further information**

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.2 Revision Date: 01/15/2020 Print Date: 07/26/2020

Sigma-Aldrich - M8179 Page 10 of 10

