

Safety Data Sheet

Silicone Sealer

CAROLINA[®]
www.carolina.com

Section 1 Product Description

Product Name: Silicone Sealer
Recommended Use: Science education applications
Synonyms: Silicone Sealer
Distributor: Carolina Biological Supply Company
2700 York Road, Burlington, NC 27215
1-800-227-1150
Chemical Information: 800-227-1150 (8am-5pm (ET) M-F)
Chemtrec: 800-424-9300 (Transportation Spill Response 24 hours)

Section 2 Hazard Identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

WARNING



Suspected of causing cancer.

GHS Classification:
Carcinogenicity Category 2

Other Safety Precautions: May cause eye irritation.
May cause gastrointestinal discomfort.
May cause irritation to respiratory tract.
May cause irritation to skin.

Acute Toxicity Oral Contains	87 % of the mixture consists of ingredient(s) of unknown toxicity
Acute Toxicity Dermal Contains	100 % of the mixture consists of ingredient(s) of unknown toxicity
Acute Toxicity Inhalation Vapor Contains	100 % of the mixture consists of ingredient(s) of unknown toxicity
Acute Toxicity Inhalation Dust/Mist Contains	100 % of the mixture consists of ingredient(s) of unknown toxicity

Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%
Dimethyl Siloxane, Hydroxy-Terminated	70131-67-8	65
Silica (amorphous)	7631-86-9	13
Polydimethylsiloxane, Trimethyl Endcap	63148-62-9	13
Methyltriacetoxysilane	4253-34-3	3
Ethyltriacetoxysilane	17689-77-9	3
Titanium Dioxide	13463	2.5
Aluminum (Metal)	7429-90-5	0.25
Carbon Black	1333-86-4	0.25

Section 4 First Aid Measures

Emergency and First Aid Procedures

Inhalation: In case of accident by inhalation: remove casualty to fresh air and keep at rest.
Eyes: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Skin Contact: After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water.

Safety Data Sheet

Ingestion: If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

Section 5 Firefighting Procedures

Extinguishing Media: Use alcohol foam, carbon dioxide, or water spray when fighting fires involving this material.

Fire Fighting Methods and Protection: Firefighters should wear full protective equipment and NIOSH approved self-contained breathing apparatus.

Fire and/or Explosion Hazards: None Known

Hazardous Combustion Products: Carbon dioxide, Carbon monoxide, Formaldehyde, Silicon dioxide

Section 6 Spill or Leak Procedures

Steps to Take in Case Material Is Released or Spilled: Exposure to the spilled material may be irritating or harmful. Follow personal protective equipment recommendations found in Section 8 of this SDS. Additional precautions may be necessary based on special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred. Also consider the expertise of employees in the area responding to the spill. Ventilate the contaminated area. Evacuate the area promptly.

Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Gather and store in a sealed container pending a waste disposal evaluation. Use an inert absorbent such as sand or vermiculite. Place in properly labeled closed container.

Section 7 Handling and Storage

Handling: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Avoid direct sunlight and heat. Avoid contact with skin and eyes. Do not ingest or take internally.

Storage: Store locked up. Suitable for any general chemical storage.

Storage Code: Green - general chemical storage

Section 8 Protection Information

<u>Chemical Name</u>	<u>ACGIH</u>		<u>OSHA PEL</u>	
	<u>(TWA)</u>	<u>(STEL)</u>	<u>(TWA)</u>	<u>(STEL)</u>
Aluminum (Metal)	1 mg/m ³ TWA (respirable fraction)	N/A	15 mg/m ³ TWA (total dust); 5 mg/m ³ TWA (respirable fraction)	N/A
Carbon Black	3 mg/m ³ TWA (inhalable fraction)	N/A	3.5 mg/m ³ TWA	N/A

Control Parameters

Engineering Measures: Local exhaust ventilation or other engineering controls are normally required when handling or using this product to avoid overexposure.

Personal Protective Equipment (PPE): Lab coat, apron, eye wash, safety shower.

Respiratory Protection: No respiratory protection required under normal conditions of use. Wear a NIOSH approved respirator if levels above the exposure limits are possible.

Eye Protection: Wear chemical splash goggles when handling this product. Have an eye wash station available.

Skin Protection: Avoid skin contact by wearing chemically resistant gloves, an apron and other protective equipment depending upon conditions of use. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.

Gloves: Natural latex,, Natural rubber, Neoprene, Nitrile, Polyvinyl chloride

Section 9 Physical Data

Safety Data Sheet

Formula: See Section 3
Molecular Weight: N/A
Appearance: White to off-white Paste
Odor: Moderate Characteristic
Odor Threshold: No data available
pH: No data available
Melting Point: No data available
Boiling Point: No data available
Flash Point: > 149 C
Flammable Limits in Air: N/A

Vapor Pressure: N/A
Evaporation Rate (BuAc=1): N/A
Vapor Density (Air=1): N/A
Specific Gravity: 1.04
Solubility in Water: Practically Insoluble
Log Pow (calculated): No data available
Autoignition Temperature: No data available
Decomposition Temperature: No data available
Viscosity: No data available
Percent Volatile by Volume: 3.5 %

Section 10

Reactivity Data

Reactivity: No data available
Chemical Stability: Stable under normal conditions.
Conditions to Avoid: None known.
Incompatible Materials: Alkali and Alkaline Metals, Hydrofluoric Acid,
Hazardous Decomposition Products: Silicon dioxide, Formaldehyde, Carbon dioxide, Carbon monoxide
Hazardous Polymerization: Will not occur

Section 11

Toxicity Data

Routes of Entry: Inhalation.
Symptoms (Acute): Respiratory disorders
Delayed Effects: No data available

Acute Toxicity:

Chemical Name	CAS Number	Oral LD50	Dermal LD50	Inhalation LC50
Silica (amorphous)	7631-86-9	Oral LD50 Rat 3160 mg/kg		

Carcinogenicity:

Chemical Name	CAS Number	IARC	NTP	OSHA
Carbon Black	1333-86-4	Listed	Not listed	Listed

Chronic Effects:

Mutagenicity: No evidence of a mutagenic effect.
Teratogenicity: No evidence of a teratogenic effect (birth defect).
Sensitization: No evidence of a sensitization effect.
Reproductive: No evidence of negative reproductive effects.

Target Organ Effects:

Acute: See Section 2
Chronic: To the best of our knowledge, the toxicological properties of this mixture have not been thoroughly evaluated.

Section 12

Ecological Data

Overview: This material is not expected to be harmful to the ecology.
Mobility: No data
Persistence: No data
Bioaccumulation: No data
Degradability: No data
Other Adverse Effects: No data

Chemical Name	CAS Number	Eco Toxicity
Silica (amorphous)	7631-86-9	96 HR LC50 BRACHYDANIO RERIO 5000 MG/L [STATIC] 48 HR EC50 CERIODAPHNIA DUBIA 7600 MG/L 72 HR EC50 PSEUDOKIRCHNERIELLA SUBCAPITATA 440 MG/L
Carbon Black	1333-86-4	24 HR EC50 DAPHNIA MAGNA > 5600 MG/L

Section 13

Disposal Information

Safety Data Sheet

Disposal Methods: Dispose in accordance with all applicable Federal, State and Local regulations. Always contact a permitted waste disposer (TSD) to assure compliance.

Waste Disposal Code(s): Not Determined

Section 14 Transport Information

Ground - DOT Proper Shipping Name:
Not Regulated

Air - IATA Proper Shipping Name:
Not regulated for air transport by IATA.

Section 15 Regulatory Information

TSCA Status: All components in this product are on the TSCA Inventory.

Chemical Name	CAS Number	§ 313 Name	§ 304 RQ	CERCLA RQ	§ 302 TPQ	CAA 112(2) TQ
Aluminum (Metal)	7429-90-5	Aluminum	No	No	No	No

California Prop 65: WARNING: This product contains a chemical known to the state of California to cause cancer, birth defects or other reproductive harm.

Section 16 Additional Information

Revised: 09/09/2015

Replaces: 07/31/2015

Printed: 10-29-2015

The information provided in this (Material) Safety Data Sheet represents a compilation of data drawn directly from various sources available to us. Carolina Biological Supply makes no representation or guarantee as to the suitability of this information to a particular application of the substance covered in the (Material) Safety Data Sheet.

Glossary

ACGIH	American Conference of Governmental Industrial Hygienists	NTP	National Toxicology Program
CAS	Chemical Abstract Service Number	OSHA	Occupational Safety and Health Administration
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act	PEL	Permissible Exposure Limit
DOT	U.S. Department of Transportation	ppm	Parts per million
IARC	International Agency for Research on Cancer	RCRA	Resource Conservation and Recovery Act
N/A	Not Available	SARA	Superfund Amendments and Reauthorization Act
		TLV	Threshold Limit Value
		TSCA	Toxic Substances Control Act
		IDLH	Immediately dangerous to life and health