



SAFETY DATA SHEET

In Accordance with ISO/DIS 11014

Review Date 09/07/2016

Revision Date 08/24/2016

1 Identification of the Substance/Mixture and Company

Product Name: Silver Nitrate

SDS Code: SSAHSNI

CAS Number:

7761-88-8

EC number:

231-853-9

Index number:

047-001-00-2

Product Description: Dry Chemical

Manufacturer/Supplier:

American MasterTech

1330 Thurman Street

Lodi, CA 95240

USA

(800) 860-4073

European Authorized Representative:

Emergo Europe

Moleensraat 15

2513 BH The Hague,

The Netherlands

Emergency Telephone Number: Infotrac (800) 535-5053 (24 hours) - International (011) 352-323-3500

2 Hazards Identification

Classification of the substance or mixture



GHS03 Flame over circle

Ox. Sol. 2 H272 May intensify fire; oxidizer.



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.



GHS09 Environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

Label elements

GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).

SAFETY DATA SHEET

In Accordance with ISO/DIS 11014

Review Date 09/07/2016

Revision Date 08/24/2016

Product Name: Silver Nitrate**Hazard pictograms**

GHS03 GHS05 GHS09

Signal word Danger**Hazard-determining components of labeling:**

silver nitrate

Hazard statements

May intensify fire; oxidizer.

Causes severe skin burns and eye damage.

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

Precautionary statements

Take any precaution to avoid mixing with combustibles.

Keep away from heat.

Do not breathe dusts or mists.

Keep/Store away from clothing/combustible materials.

Wear protective gloves / eye protection / face protection.

Avoid release to the environment.

Wash thoroughly after handling.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Specific treatment (see on this label).

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Wash contaminated clothing before reuse.

If swallowed: Rinse mouth. Do NOT induce vomiting.

In case of fire: Use for extinction: CO₂, powder or water spray.

Collect spillage.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Classification system:**NEPA ratings (scale 0 - 4)**

Health = 3

Fire = 0

Reactivity = 0

The substance possesses oxidizing properties.

HMIS-ratings (scale 0 - 4)

Health = 3

Fire = 0

Reactivity = 0

Other hazards**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.

SAFETY DATA SHEET

In Accordance with ISO/DIS 11014

Review Date 09/07/2016

Revision Date 08/24/2016

Product Name: Silver Nitrate

3 Composition

Chemical characterization: Substances**CAS No. Description**

7761-88-8 silver nitrate

Identification number(s)**EC number:** 231-853-9**Index number:** 047-001-00-2

4 First Aid Measures

Description of first aid measures**General information:** Immediately remove any clothing soiled by the product.**After inhalation:** In case of unconsciousness place patient stably in side position for transportation.**After skin contact:** Immediately wash with water and soap and rinse thoroughly.**After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.**After swallowing:** Drink copious amounts of water and provide fresh air. Immediately call a doctor.**Information for doctor:****Most important symptoms and effects, both acute and delayed:** No further relevant information available.**Indication of any immediate medical attention and special treatment needed:**

No further relevant information available.

5 Firefighting Measures

Extinguishing media**Suitable extinguishing agents:**CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.**Special hazards arising from the substance or mixture:**

During heating or in case of fire poisonous gases are produced.

Advice for firefighters**Protective equipment:** Mouth respiratory protective device.

6 Accidental Release Measures

Personal precautions, protective equipment and emergency procedures:

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

SAFETY DATA SHEET

In Accordance with ISO/DIS 11014

Review Date 09/07/2016

Revision Date 08/24/2016

Product Name: Silver Nitrate

See Section 13 for disposal information.

7 Handling and Storage

Handling:
Precautions for safe handling:

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

Information about protection against explosions and fires: Keep respiratory protective device available.

Conditions for safe storage, including any incompatibilities
Storage:
Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: Keep receptacle tightly sealed.

Specific end use(s): No further relevant information available.

8 Exposure Controls/Personal Protection

Additional information about design of technical systems: No further data; see item 7.

Control parameters
Components with limit values that require monitoring at the workplace:
7761-88-8 silver nitrate

 PEL Long-term value: 0.01 mg/m³
as Ag

 REL Long-term value: 0.01 mg/m³
as Ag

 TLV Long-term value: 0.01 mg/m³
as Ag

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls:
Personal protective equipment:
General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

SAFETY DATA SHEET

In Accordance with ISO/DIS 11014

Review Date 09/07/2016

Revision Date 08/24/2016

Product Name: Silver Nitrate**Material of gloves:**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection: Tightly sealed goggles

9 Physical and Chemical Properties

Information on basic physical and chemical properties**General Information****Appearance**

Form:	Crystalline
Color:	White
Odor:	Odorless
Odor threshold:	Not determined.

pH-value: Not applicable.

Change in condition

Melting point/Melting range:	210 °C (410 °F)
Boiling point/Boiling range:	444 °C (831 °F)

Flash point: Not applicable.

Flammability (solid, gaseous): Product is not flammable.

Ignition temperature:

Decomposition temperature: Not determined.

Auto igniting: Not determined.

Danger of explosion: Product does not present an explosion hazard.

Explosion limits:

Lower:	Not determined.
Upper:	Not determined.

Vapor pressure: Not applicable.

Density at 20 °C (68 °F): 4.35 g/cm³ (36.301 lbs/gal)

Relative density: Not determined.

Vapour density: Not applicable.

Evaporation rate: Not applicable.

Solubility in / Miscibility with

Water at 20 °C (68 °F): 2.192 g/l

Partition coefficient (n-octanol/water): Not determined.

Dynamic: Not applicable.

Kinematic: Not applicable.

Other information: No further relevant information available.

SAFETY DATA SHEET

In Accordance with ISO/DIS 11014

Review Date 09/07/2016

Revision Date 08/24/2016

Product Name: Silver Nitrate

10 Stability and Reactivity

Reactivity: No further relevant information available.**Chemical stability:****Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.**Possibility of hazardous reactions:** No dangerous reactions known.**Conditions to avoid:** No further relevant information available.**Incompatible materials:** No further relevant information available.**Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicology Information

Information on toxicological effects**Acute toxicity:****LD/LC50 values that are relevant for classification:****7761-88-8 silver nitrate**

Oral LD50 50 mg/kg (mouse)

Primary irritant effect:**On the skin:** Caustic effect on skin and mucous membranes.**On the eye:** Strong caustic effect.**Sensitization:** No sensitizing effects known.**Additional toxicological information:**

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

Carcinogenic categories**IARC (International Agency for Research on Cancer)**

Substance is not listed.

NTP (National Toxicology Program)

Substance is not listed.

OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological Information

Toxicity:**Aquatic toxicity:** No further relevant information available.**Persistence and degradability:** No further relevant information available.**Behavior in environmental systems:****Bioaccumulative potential:** No further relevant information available.**Mobility in soil:** No further relevant information available.**Ecotoxicological effects:****Remark:** Very toxic for fish**Additional ecological information:****General notes:**

Water hazard class 3 (Assessment by list): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

SAFETY DATA SHEET

In Accordance with ISO/DIS 11014

Review Date 09/07/2016

Revision Date 08/24/2016

Product Name: Silver Nitrate

Must not reach bodies of water or drainage ditch undiluted or unneutralized.
 Danger to drinking water if even extremely small quantities leak into the ground.
 Also poisonous for fish and plankton in water bodies.
 Very toxic for aquatic organisms

Results of PBT and vPvB assessment**PBT:** Not applicable.**vPvB:** Not applicable.**Other adverse effects:** No further relevant information available.

13 Disposal Considerations

Uncleaned packagings:**Recommendation:** Disposal must be made according to official regulations.**Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport Information

UN-Number	UN1493
DOT, ADR, IMDG, IATA	
UN proper shipping name	Silver nitrate
DOT	1493 Silver nitrate, ENVIRONMENTALLY HAZARDOUS
ADR	SILVER NITRATE
IMDG, IATA	
Transport hazard class(es)	
DOT	
	
Class	5.1 Oxidizing substances
Label	5.1
ADR	
 	
Class	5.1 Oxidizing substances
Label	5.1
IMDG, IATA	
	
Class	5.1 Oxidizing substances

SAFETY DATA SHEET

In Accordance with ISO/DIS 11014

Review Date 09/07/2016

Revision Date 08/24/2016

Product Name: Silver Nitrate

Label	5.1
Packing group DOT, ADR, IMDG, IATA	II
Environmental hazards Marine pollutant: Special marking (ADR):	No Symbol (fish and tree)
Special precautions for user: Danger code (Kemler): EMS Number: Segregation groups Stowage Category	Warning: Oxidizing substances 50 5.1-06 Heavy metals and their salts (including their organometallic compounds) A
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:	Not applicable.
Transport/Additional information: DOT Quantity limitations Hazardous substance:	 On passenger aircraft/rail: 5 kg On cargo aircraft only: 25 kg 1 lbs, 0.454 kg
ADR Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g
IMDG Limited quantities (LQ) Excepted quantities (EQ)	1 kg Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g
UN "Model Regulation":	UN 1493 SILVER NITRATE, 5.1, II, ENVIRONMENTALLY HAZARDOUS

15 Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture
SARA

Section 355 (extremely hazardous substances):

Substance is not listed.

Section 313 (Specific toxic chemical listings):

Substance is listed.

TSCA (Toxic Substances Control Act):

Substance is listed.

SAFETY DATA SHEET

In Accordance with ISO/DIS 11014

Review Date 09/07/2016

Revision Date 08/24/2016

Product Name: Silver Nitrate**Proposition 65****Chemicals known to cause cancer:**

Substance is not listed.

Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

Chemicals known to cause developmental toxicity:

Substance is not listed.

Carcinogenic categories**EPA (Environmental Protection Agency)**

Substance is not listed.

TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).**Hazard pictograms**

GHS03 GHS05 GHS09

Signal word Danger**Hazard-determining components of labeling:**

silver nitrate

Hazard statements

May intensify fire; oxidizer.

Causes severe skin burns and eye damage.

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

Precautionary statements

Take any precaution to avoid mixing with combustibles.

Keep away from heat.

Do not breathe dusts or mists.

Keep/Store away from clothing/combustible materials.

Wear protective gloves / eye protection / face protection.

Avoid release to the environment.

Wash thoroughly after handling.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Specific treatment (see on this label).

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

SAFETY DATA SHEET

In Accordance with ISO/DIS 11014

Review Date 09/07/2016

Revision Date 08/24/2016

Product Name: Silver Nitrate

Wash contaminated clothing before reuse.

If swallowed: Rinse mouth. Do NOT induce vomiting.

In case of fire: Use for extinction: CO₂, powder or water spray.

Collect spillage.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other Information

This information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of the material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.

Department issuing SDS: Regulatory Department

Contact: Phone (800) 860-4073

Date of preparation / last revision 09/07/2016 / -

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Ox. Sol. 2: Oxidizing solids – Category 2

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Copyright © 2016-2017 American MasterTech Scientific Incorporated. All rights reserved.

No part of these pages may be used for any purpose other than personal use. Therefore, reproduction, modification, storage in a retrieval system or retransmission, in any form or by any means, for reasons other than personal use, is strictly prohibited without prior written permission.