

# **SAFETY DATA SHEET**

Version 6.7 Revision Date 04/11/2022 Print Date 03/25/2023

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### **1.1 Product identifiers**

Product name	<sup>:</sup> Bromine		
Product Number	: 277576		
Brand	: SIGALD		
Index-No.	: 035-001-00-5		
CAS-No.	: 7726-95-6		

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

### 1.3 Details of the supplier of the safety data sheet

Company	: Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone	: +1 314 771-5765
Fax	: +1 800 325-5052

### **1.4 Emergency telephone**

Emergency Phone #	:	800-424-9300 CHEMTREC (USA) +1-703-
		527-3887 CHEMTREC (International) 24
		Hours/day; 7 Days/week

### **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Inhalation (Category 1), H330 Skin corrosion (Category 1A), H314 Serious eye damage (Category 1), H318 Short-term (acute) aquatic hazard (Category 1), H400

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal Word

Danger

SIGALD - 277576

Page 1 of 11



Hazard statement(s)	
H314	Causes severe skin burns and eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
Precautionary statement(s)	
P260	Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.
P264	Wash skin thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P284	Wear respiratory protection.
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 +	IF IN EYES: Rinse cautiously with water for several minutes.
P310	Remove contact lenses, if present and easy to do. Continue
	rinsing. Immediately call a POISON CENTER/ doctor.
P363	Wash contaminated clothing before reuse.
P391	Collect spillage.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal
	plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# **SECTION 3:** Composition/information on ingredients

### 3.1 Substances

Formula	:	Br <sub>2</sub>
Molecular weight	:	159.81 g/mol
CAS-No.	:	7726-95-6
EC-No.	:	231-778-1
Index-No.	:	035-001-00-5

Component	Classification	Concentration
Bromine		
	Acute Tox. 1; Skin Corr. 1A; Eye Dam. 1; Aquatic Acute 1; H330, H314, H318, H400 M-Factor - Aquatic Acute: 10	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SIGALD - 277576

Page 2 of 11



# **SECTION 4: First aid measures**

### 4.1 Description of first-aid measures

#### **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

### If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

- **4.2 Most important symptoms and effects, both acute and delayed** The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### 5.2 Special hazards arising from the substance or mixture

Hydrogen bromide gas Container explosion may occur under fire conditions. Not combustible. Ambient fire may liberate hazardous vapours.

### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### 5.4 Further information

May intensify fire; oxidizer.Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SIGALD - 277576

Page 3 of 11



# **SECTION 6:** Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
- **6.2 Environmental precautions** Do not let product enter drains.
- 6.3 Methods and materials for containment and cleaning up Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.
- **6.4 Reference to other sections** For disposal see section 13.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

#### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Do not store in polyethylene containers. Handle and open container with care.

### Storage class

Storage class (TRGS 510): 6.1A: Combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

Ingredients with workplace control parameters

SIGALD - 277576

Page 4 of 11



Component	CAS-No.	Value	Control parameters	Basis
Bromine	7726-95-6	TWA	0.1 ppm	USA. ACGIH Threshold Limit Values (TLV)
		STEL	0.2 ppm	USA. ACGIH Threshold Limit Values (TLV)
		TWA	0.1 ppm 0.7 mg/m3	USA. NIOSH Recommended Exposure Limits
		ST	0.3 ppm 2 mg/m3	USA. NIOSH Recommended Exposure Limits
		TWA	0.1 ppm 0.7 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	0.1 ppm 0.7 mg/m3	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
		STEL	0.3 ppm 2 mg/m3	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
		С	0.1 ppm 0.7 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

### 8.2 Exposure controls

### Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

#### **Personal protective equipment**

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

#### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Viton® Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Vitoject® (KCL 890 / Aldrich Z677698, Size M)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: butyl-rubber Minimum layer thickness: 0.7 mm

SIGALD - 277576

Page 5 of 11



Break through time: 10 min Material tested:Butoject® (KCL 898)

# **Body Protection**

protective clothing

# **Respiratory protection**

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

### **Control of environmental exposure**

Do not let product enter drains.

# SECTION 9: Physical and chemical properties

# 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid Color: brown
b)	Odor	suffocating
c)	Odor Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	Melting point/range: 7.2 °C (45.0 °F) - lit.
f)	Initial boiling point and boiling range	58.8 °C 137.8 °F - lit.
g)	Flash point	()No data available
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	233 hPa at 20 °C (68 °F)
I)	Vapor density	5.52 at 15 °C(59 °F) - (Air = 1.0)
m)	Density	3.119 g/mL at 25 °C (77 °F) - lit.
	Relative density	No data available
n)	Water solubility	36.5 g/l at 20 °C (68 °F) - (External MSDS)
o)	Partition coefficient: n-octanol/water	Not applicable for inorganic substances
p)	Autoignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available

SIGALD - 277576

Page 6 of 11



- s) Explosive properties No data available
- t) Oxidizing properties none

### 9.2 Other safety information

```
Relative vapor 5.52 \text{ at } 15 \text{ °C} (59 \text{ °F}) - (Air = 1.0) density
```

# SECTION 10: Stability and reactivity

#### **10.1 Reactivity**

No data available

#### **10.2 Chemical stability** The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

### Exothermic reaction with: hydrides amides phenols Ether halogen-halogen compounds halogen oxides nonmetals Alcohols **Organic Substances** alkali oxides Alkali metals semimetals Acetylene Amines Ketones Aldehydes nitrides Germanium rubber phosphides Metals Sodium hydroxide iron/iron-containing compounds Mercury Titanium Boranes Risk of explosion with: Ammonia azides silanes zinc diethyl Hydrogen **Organic Substances** Ozone Nitriles

SIGALD - 277576

Page 7 of 11



halogen oxides phosphines Potassium sodium carbides Nickel carbonyl phosphine phosphorus Reducing agents oxidisable substances Hydrogen with Pressure heat Metals with Moisture. Lithium sensitive to shock antimony in powder form Risk of ignition or formation of inflammable gases or vapours with: acetylidene Aluminum halides hydrides Hydrocarbons Fluorine fluorides lithium silicide Oxides of phosphorus Tin arsenic in powder form

# **10.4 Conditions to avoid**

no information available

**10.5 Incompatible materials** No data available

#### **10.6 Hazardous decomposition products** In the event of fire: see section 5

# SECTION 11: Toxicological information

### **11.1** Information on toxicological effects

Acute toxicity LD50 Oral - Rat - 2,600 mg/kg LC50 Inhalation - Mouse - female - 4 h - 0.1427 mg/l - vapor

Remarks: (ECHA) Dermal: No data available

SIGALD - 277576

Page 8 of 11



# Skin corrosion/irritation

Causes severe burns. Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

# Serious eye damage/eye irritation

Causes serious eye damage.

# **Respiratory or skin sensitization**

No data available

# Germ cell mutagenicity

In vivo tests did not show mutagenic effects Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: US-EPA Result: positive Test system: mouse lymphoma cells Metabolic activation: with and without metabolic activation Method: US-EPA Result: positive

Test Type: Micronucleus test Species: Mouse Cell type: Bone marrow Application Route: Intraperitoneal Method: US-EPA Result: negative

# Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

### **Reproductive toxicity**

No data available

#### **Specific target organ toxicity - single exposure** No data available

Specific target organ toxicity - repeated exposure

No data available

### Aspiration hazard

No data available

# **11.2 Additional Information**

### RTECS: EF9100000

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, Cyanosis, Cardiovascular effects., Respiratory disorders, Lachrymation, Nose bleeding, Vertigo, Irritability, loss of appetite, joint pain, Abdominal pain, Diarrhea, hoarseness

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SIGALD - 277576

Page 9 of 11



Liver - Irregularities - Based on Human Evidence

Liver - Irregularities - Based on Human Evidence

# SECTION 12: Ecological information

### **12.1 Toxicity**

Toxicity to fish static test LC50 - Lepomis macrochirus (Bluegill sunfish) - 0.54 mg/l - 96 h Remarks: (ECOTOX Database)

### 12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

No data available

**12.4 Mobility in soil** No data available

### 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

**12.6 Endocrine disrupting properties** No data available

# **12.7 Other adverse effects**

Discharge into the environment must be avoided.

# **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

#### Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

### **SECTION 14: Transport information**

### DOT (US)

UN number: 1744 Class: 8 (6.1I) Proper shipping name: Bromine Reportable Quantity (RQ): Poison Inhalation Hazard: Hazard Zone A Packing group: I

#### IMDG

UN number: 1744 Class: 8 (6.1)

Packing group: I

EMS-No: F-A, S-B

SIGALD - 277576

Page 10 of 11



Proper shipping name: BROMINE Marine pollutant : yes

### ΙΑΤΑ

UN number: 1744 Class: 8 (6.1) Proper shipping name: Bromine IATA Passenger: Not permitted for transport IATA Cargo: Not permitted for transport

# **SECTION 15: Regulatory information**

<b>SARA 302</b>	Components
-----------------	------------

Bromine	CAS-No.	Revision Date
	7726-95-6	2008-11-03

#### SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

	CAS-No.	Revision Date
Bromine	7726-95-6	2008-11-03

### SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

# Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

### **SECTION 16: Other information**

#### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.7

Revision Date: 04/11/2022

Print Date: 03/25/2023

SIGALD - 277576

Page 11 of 11

