SAFETY DATA SHEET



1. Product and Company Identification

Product identifier Gas Leak Detector (4180-53, 4832-C9)

Other means of identification Not available Gas Leak Detector Recommended use Recommended restrictions None known. Nu-Calgon Manufacturer information

> 2611 Schuetz Road St. Louis, MO 63043 US

Phone: 314-469-7000 / 800-554-5499

Emergency Phone: 1-800-424-9300 (CHEMTREC)

Supplier See above.

2. Hazards Identification

Physical hazards Flammable liquids Category 3 Serious eye damage/eye irritation Category 2 Health hazards Carcinogenicity Category 2

Environmental hazards Not classified. WHMIS 2015 defined hazards Not classified

Label elements



Signal word Warning

Hazard statement Flammable liquid and vapor. Causes serious eye irritation. Suspected of causing cancer.

Precautionary statement

Prevention Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

> Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use non-sparking tools. Take action to prevent static discharges. Wash thoroughly after handling. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective

gloves, protective clothing, eye protection and face protection.

In case of fire: Use appropriate media to extinguish. IF ON SKIN (or hair): Take off immediately all Response

contaminated clothing. Rinse skin with water or shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. IF exposed or concerned: Get medical attention.

Store in a well-ventilated place. Keep cool. Store locked up. Storage

Disposal Dispose of container in accordance with local, regional, national and international regulations.

WHMIS 2015: Health Hazard(s) not otherwise classified

(HHNOC)

None known

WHMIS 2015: Physical None known

Hazard(s) not otherwise classified (PHNOC)

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/Information on Ingredients

Mixture Chemical name Common name and synonyms **CAS** number 68603-42-9 Amides, coco. 0.5-1.5* N,N-bis(hydroxyethyl) Ethanol, 2,2"-iminobis-111-42-2 0.1-1*

Chemical name	Common name and synonyms	CAS number	%
Glycerol		56-81-5	30-60*
Isopropanol		67-63-0	3-7*
Polyethylene glycol		25322-68-3	10-30*
Sulfuric acid, monododecyl ester, compd. with 2,2",2""-nitrilotris[ethanol] (1:1)		139-96-8	1-5*

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments

US GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

*CANADA GHS: The exact percentage (concentration) of composition has been withheld as a trade secret.

4. F	irst A	id M	easur	es
ove pe	rson to	fresh	air and	kee

Inhalation If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center or

doctor if you feel unwell.

Skin contact IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Never give anything by mouth if

victim is unconscious or is convulsing.

Most important symptoms/effects, acute and delayed

Ingestion

Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Indication of immediate medical attention and special treatment needed

General information

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Keep away from sources of ignition. No smoking. Avoid contact with eyes, skin and clothing. Take off all contaminated clothing immediately. Wash contaminated clothing before reuse. Wear rubber gloves and safety glasses with side shields. Keep out of reach of children.

5. Fire Fighting Measures

Suitable extinguishing media

Unsuitable extinguishing media

Foam. Water fog. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed. Firefighters should wear a self-contained breathing apparatus.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire-fighting equipment/instructions

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

Specific methods
General fire hazards
Hazardous combustion

products

Use standard firefighting procedures and consider the hazards of other involved materials.

Flammable liquid and vapor.

May include and are not limited to: Oxides of nitrogen. Hydrogen chloride. Oxides of carbon.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools. Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Never return spills in original containers for re-use. Clean surface thoroughly to remove residual contamination. Following product recovery, flush area with water. Prevent entry into waterways, sewer, basements or confined areas. Use water spray to reduce vapors or divert vapor cloud drift. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and Storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Vapors may form explosive mixtures with air. Avoid breathing vapors or mists of this product. Use only with adequate ventilation. Avoid prolonged exposure. Wear appropriate personal protective equipment. Avoid contact with eyes, skin and clothing. When using do not eat or drink. Wash thoroughly after handling. Keep container tightly closed.

Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Keep out of reach of children. Store locked up. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure Controls/Personal Protection

Occupational exposure limits

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

Components	Туре	Value	Form
Ethanol, 2,2"-iminobis- (CAS 111-42-2)	TWA	2 mg/m3	
Glycerol (CAS 56-81-5)	TWA	10 mg/m3	Mist.
Isopropanol (CAS 67-63-0)	STEL	984 mg/m3 400 ppm	
	TWA	492 mg/m3 200 ppm	

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Туре	Value	Form
Ethanol, 2,2"-iminobis- (CAS 111-42-2)	TWA	2 mg/m3	
Glycerol (CAS 56-81-5)	TWA	3 mg/m3 10 mg/m3	Respirable mist. Mist.
Isopropanol (CAS 67-63-0)	STEL	400 ppm	
	TWA	200 ppm	

Canada Manitoha OFI's (Reg. 217/2006, The Workplace Safety And Health Act)

Components	Туре	Value	Form
Ethanol, 2,2"-iminobis- (CAS 111-42-2)	TWA	1 mg/m3	Inhalable fraction and vapor.
Isopropanol (CAS 67-63-0)	STEL	400 ppm	
	TWA	200 ppm	

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Components	Туре	Value	Form
Ethanol, 2,2"-iminobis- (CAS 111-42-2)	TWA	1 mg/m3	Inhalable fraction and vapor.
Glycerol (CAS 56-81-5)	TWA	10 mg/m3	Mist.
Isopropanol (CAS 67-63-0)	STEL	400 ppm	
	TWA	200 ppm	

Canada. Quebec OELs. (Ministry of La Components	Type	Japeoung III	-	Value	Form
Ethanol, 2,2"-iminobis- (CAS 111-42-2)	TWA		•	13 mg/m3	
			3	3 ppm	
Glycerol (CAS 56-81-5)	TWA		•	10 mg/m3	Mist.
Isopropanol (CAS 67-63-0)	STEL			1230 mg/m3 500 ppm	
	TWA			983 mg/m3 400 ppm	
US. OSHA Table Z-1 Limits for Air Cor Components	ntaminants (29 CFR Type	1910.1000)	,	Value	Form
Glycerol (CAS 56-81-5)	PEL			5 mg/m3 15 mg/m3	Respirable fraction. Total dust.
Isopropanol (CAS 67-63-0)	PEL			980 mg/m3 400 ppm	
US. ACGIH Threshold Limit Values	_				Fa
Components	Туре			Value	Form
Ethanol, 2,2"-iminobis- (CAS 111-42-2)	TWA			1 mg/m3	Inhalable fraction and vapor.
Isopropanol (CAS 67-63-0)	STEL			400 ppm	
	TWA		2	200 ppm	
US. NIOSH: Pocket Guide to Chemical Components	l Hazards Type		,	Value	
Ethanol, 2,2"-iminobis- (CAS 111-42-2)	TWA		,	15 mg/m3	
(OAO 111-42-2)				3 ppm	
				эррии	
Isopropanol (CAS 67-63-0)	STEL		,	1225 mg/m3 500 ppm	
Isopropanol (CAS 67-63-0)	STEL			1225 mg/m3 500 ppm 980 mg/m3	
US. AIHA Workplace Environmental E	TWA xposure Level (WEI	EL) Guides		1225 mg/m3 500 ppm 980 mg/m3 400 ppm	Form
US. AIHA Workplace Environmental E. Components Polyethylene glycol (CAS	TWA	EL) Guides		1225 mg/m3 500 ppm 980 mg/m3	Form Particulate.
US. AIHA Workplace Environmental E. Components Polyethylene glycol (CAS 25322-68-3)	TWA xposure Level (WEI Type	EL) Guides		1225 mg/m3 500 ppm 980 mg/m3 400 ppm	
US. AIHA Workplace Environmental E. Components Polyethylene glycol (CAS 25322-68-3) ogical limit values ACGIH Biological Exposure Indices Components Value	TWA xposure Level (WEI Type	·	5 5 2 2	1225 mg/m3 500 ppm 980 mg/m3 400 ppm Value	Particulate.
US. AIHA Workplace Environmental E. Components Polyethylene glycol (CAS 25322-68-3) ogical limit values ACGIH Biological Exposure Indices	TWA xposure Level (WEI Type TWA	inant S		1225 mg/m3 500 ppm 980 mg/m3 400 ppm	Particulate.
US. AIHA Workplace Environmental Ex Components Polyethylene glycol (CAS 25322-68-3) ogical limit values ACGIH Biological Exposure Indices Components Value Isopropanol (CAS 67-63-0) 40 mg/L	TWA xposure Level (WEI Type TWA Determ Acetone	inant S	Specimen	1225 mg/m3 500 ppm 980 mg/m3 400 ppm Value	Particulate.
US. AIHA Workplace Environmental E. Components Polyethylene glycol (CAS 25322-68-3) ogical limit values ACGIH Biological Exposure Indices Components Value Isopropanol (CAS 67-63-0) 40 mg/L * - For sampling details, please see the s	TWA xposure Level (WEI Type TWA Determ Acetone	inant S	Specimen	1225 mg/m3 500 ppm 980 mg/m3 400 ppm Value	Particulate.
US. AIHA Workplace Environmental Excomponents Polyethylene glycol (CAS 25322-68-3) ogical limit values ACGIH Biological Exposure Indices Components Value Isopropanol (CAS 67-63-0) 40 mg/L * - For sampling details, please see the sposure guidelines	TWA xposure Level (WEI Type TWA Determ Acetone source document.	inant S	Specimen	1225 mg/m3 500 ppm 980 mg/m3 400 ppm Value	Particulate.
US. AIHA Workplace Environmental Excomponents Polyethylene glycol (CAS 25322-68-3) ogical limit values ACGIH Biological Exposure Indices Components Value Isopropanol (CAS 67-63-0) 40 mg/L * - For sampling details, please see the source guidelines Canada - Alberta OELs: Skin designat 1,3-Dichloropropene (CAS 542-75-6 Ethanol, 2,2"-iminobis- (CAS 111-42)	TWA xposure Level (WEI Type TWA Determ Acetone source document.	can be ab	Specimen Urine	1225 mg/m3 500 ppm 980 mg/m3 400 ppm Value 10 mg/m3 Sampling Ti * ough the skin. ough the skin.	Particulate.
US. AIHA Workplace Environmental Excomponents Polyethylene glycol (CAS 25322-68-3) ogical limit values ACGIH Biological Exposure Indices Components Value Isopropanol (CAS 67-63-0) 40 mg/L * - For sampling details, please see the soure guidelines Canada - Alberta OELs: Skin designat 1,3-Dichloropropene (CAS 542-75-6	TWA xposure Level (WEI Type TWA Determ Acetone source document. ion S) 2-2)	can be ab	Specimen Urine	1225 mg/m3 500 ppm 980 mg/m3 400 ppm Value 10 mg/m3 Sampling Ti *	Particulate.
US. AIHA Workplace Environmental Excomponents Polyethylene glycol (CAS 25322-68-3) ogical limit values ACGIH Biological Exposure Indices Components Value Isopropanol (CAS 67-63-0) 40 mg/L * - For sampling details, please see the source guidelines Canada - Alberta OELs: Skin designat 1,3-Dichloropropene (CAS 542-75-6 Ethanol, 2,2"-iminobis- (CAS 111-42 Methanol (CAS 67-56-1)	TWA xposure Level (WEIType TWA Determ Acetone source document. ion 5) 2-2) a designation	Can be ab	Specimen Urine bosorbed three bosorbed three bosorbed three	1225 mg/m3 500 ppm 980 mg/m3 400 ppm Value 10 mg/m3 Sampling Ti * ough the skin. ough the skin.	Particulate.
US. AIHA Workplace Environmental Excomponents Polyethylene glycol (CAS 25322-68-3) ogical limit values ACGIH Biological Exposure Indices Components Value Isopropanol (CAS 67-63-0) 40 mg/L * - For sampling details, please see the soure guidelines Canada - Alberta OELs: Skin designat 1,3-Dichloropropene (CAS 542-75-6 Ethanol, 2,2"-iminobis- (CAS 111-42 Methanol (CAS 67-56-1) Canada - British Columbia OELs: Skin 1,3-Dichloropropene (CAS 542-75-6 Ethanol, 2,2"-iminobis- (CAS 111-42 Methanol (CAS 67-56-1)	TWA xposure Level (WEIType TWA Determ Acetone source document. ion 5) 2-2) designation 5) 2-2)	Can be ab	Specimen Urine Disorbed three	1225 mg/m3 500 ppm 980 mg/m3 400 ppm Value 10 mg/m3 * * cough the skin. cough the skin. cough the skin.	Particulate.
US. AIHA Workplace Environmental Excomponents Polyethylene glycol (CAS 25322-68-3) ogical limit values ACGIH Biological Exposure Indices Components Value Isopropanol (CAS 67-63-0) 40 mg/L * - For sampling details, please see the second of the second	TWA xposure Level (WEIType TWA Determ Acetone source document. ion 6) 2-2) a designation 6) 2-2) ation	Can be ab	Specimen Urine Disorbed three	1225 mg/m3 500 ppm 980 mg/m3 400 ppm Value 10 mg/m3 Sampling Ti * ough the skin.	Particulate.
US. AIHA Workplace Environmental E. Components Polyethylene glycol (CAS 25322-68-3) ogical limit values ACGIH Biological Exposure Indices Components Value Isopropanol (CAS 67-63-0) 40 mg/L * - For sampling details, please see the soure guidelines Canada - Alberta OELs: Skin designat 1,3-Dichloropropene (CAS 542-75-6 Ethanol, 2,2"-iminobis- (CAS 111-42 Methanol (CAS 67-56-1) Canada - British Columbia OELs: Skin 1,3-Dichloropropene (CAS 542-75-6 Ethanol, 2,2"-iminobis- (CAS 111-42 Methanol (CAS 67-56-1) Canada - Manitoba OELs: Skin design 1,3-Dichloropropene (CAS 542-75-6 Ethanol, 2,2"-iminobis- (CAS 111-42 Methanol (CAS 67-56-1)	TWA xposure Level (WEI Type TWA Determ Acetone source document. ion 6) 2-2) a designation 6) 2-2) ation 6)	Can be ab	Specimen Urine Described three Described thre	1225 mg/m3 500 ppm 980 mg/m3 400 ppm Value 10 mg/m3 Sampling Ti * ough the skin.	Particulate.
US. AIHA Workplace Environmental E. Components Polyethylene glycol (CAS 25322-68-3) ogical limit values ACGIH Biological Exposure Indices Components Value Isopropanol (CAS 67-63-0) 40 mg/L * - For sampling details, please see the soure guidelines Canada - Alberta OELs: Skin designat 1,3-Dichloropropene (CAS 542-75-6 Ethanol, 2,2"-iminobis- (CAS 111-42 Methanol (CAS 67-56-1) Canada - British Columbia OELs: Skin 1,3-Dichloropropene (CAS 542-75-6 Ethanol, 2,2"-iminobis- (CAS 111-42 Methanol (CAS 67-56-1) Canada - Manitoba OELs: Skin design 1,3-Dichloropropene (CAS 542-75-6 Ethanol, 2,2"-iminobis- (CAS 111-42 Methanol (CAS 67-56-1)	TWA xposure Level (WEI Type TWA Determ Acetone source document. ion 6) 2-2) a designation 6) 2-2) ation 6) 2-2)	Can be ab	Specimen Urine Described three Described thre	1225 mg/m3 500 ppm 980 mg/m3 400 ppm Value 10 mg/m3 Sampling Ti * ough the skin.	Particulate.
US. AIHA Workplace Environmental E. Components Polyethylene glycol (CAS 25322-68-3) ogical limit values ACGIH Biological Exposure Indices Components Value Isopropanol (CAS 67-63-0) 40 mg/L * - For sampling details, please see the sosure guidelines Canada - Alberta OELs: Skin designat 1,3-Dichloropropene (CAS 542-75-6 Ethanol, 2,2"-iminobis- (CAS 111-42 Methanol (CAS 67-56-1) Canada - British Columbia OELs: Skin designat 1,3-Dichloropropene (CAS 542-75-6 Ethanol, 2,2"-iminobis- (CAS 111-42 Methanol (CAS 67-56-1) Canada - Manitoba OELs: Skin design 1,3-Dichloropropene (CAS 542-75-6 Ethanol, 2,2"-iminobis- (CAS 111-42 Methanol (CAS 67-56-1) Canada - Ontario OELs: Skin designat 1,3-Dichloropropene (CAS 542-75-6	TWA xposure Level (WEI Type TWA Determ Acetone source document. ion 6) 2-2) a designation 6) 2-2) ation 6) 2-2) tion 6)	Can be ab	Specimen Urine Disorbed throusorbed throu	1225 mg/m3 500 ppm 980 mg/m3 400 ppm Value 10 mg/m3 Sampling Ti * ough the skin.	Particulate.
US. AIHA Workplace Environmental E. Components Polyethylene glycol (CAS 25322-68-3) ogical limit values ACGIH Biological Exposure Indices Components Value Isopropanol (CAS 67-63-0) 40 mg/L * - For sampling details, please see the soure guidelines Canada - Alberta OELs: Skin designat 1,3-Dichloropropene (CAS 542-75-6 Ethanol, 2,2"-iminobis- (CAS 111-42 Methanol (CAS 67-56-1) Canada - British Columbia OELs: Skin 1,3-Dichloropropene (CAS 542-75-6 Ethanol, 2,2"-iminobis- (CAS 111-42 Methanol (CAS 67-56-1) Canada - Manitoba OELs: Skin design 1,3-Dichloropropene (CAS 542-75-6 Ethanol, 2,2"-iminobis- (CAS 111-42 Methanol (CAS 67-56-1) Canada - Ontario OELs: Skin designat Methanol (CAS 67-56-1)	TWA xposure Level (WEI Type TWA Determ Acetone source document. ion 6) 2-2) a designation 6) 2-2) ation 6) 2-2) tion 6)	Can be ab	Specimen Urine Disorbed throusorbed throu	1225 mg/m3 500 ppm 980 mg/m3 400 ppm Value 10 mg/m3 Sampling Ti * ough the skin.	Particulate.

Canada - Quebec OELs: Skin designation

1,3-Dichloropropene (CAS 542-75-6) Can be absorbed through the skin. Ethanol, 2,2"-iminobis- (CAS 111-42-2) Can be absorbed through the skin. Can be absorbed through the skin.

Methanol (CAS 67-56-1)

Canada - Saskatchewan OELs: Skin designation

1,3-Dichloropropene (CAS 542-75-6) Can be absorbed through the skin. Ethanol, 2,2"-iminobis- (CAS 111-42-2) Can be absorbed through the skin. Methanol (CAS 67-56-1) Can be absorbed through the skin.

US ACGIH Threshold Limit Values: Skin designation

1.3-Dichloropropene (CAS 542-75-6) Can be absorbed through the skin. Ethanol, 2,2"-iminobis- (CAS 111-42-2) Can be absorbed through the skin. Methanol (CAS 67-56-1) Can be absorbed through the skin.

US. NIOSH: Pocket Guide to Chemical Hazards

1,3-Dichloropropene (CAS 542-75-6) Can be absorbed through the skin. Methanol (CAS 67-56-1) Can be absorbed through the skin.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Impervious gloves. Confirm with reputable supplier first. Hand protection

Other As required by employer code.

Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Respiratory protection

Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134),

CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).

Thermal hazards Not applicable.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and Chemical Properties

Liquid **Appearance** Physical state Liquid. Liquid. **Form** Color Clear Isopropanol Odor **Odor threshold** Not available. pН Not available. Melting point/freezing point Not available. Initial boiling point and boiling

range

unknown

Not available. Pour point 1.1 - 1.15 Specific gravity **Partition coefficient** Not available.

(n-octanol/water)

102.2 °F (39.0 °C) Flash point **Evaporation rate** Not available. Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower (%)

Not available.

Flammability limit - upper

Not available.

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure Not available. Not available. Vapor density

#25856 Page: 5 of 14 Issue date 23-April-2019 Relative density

Solubility(ies)

Auto-ignition temperature

Decomposition temperature

Viscosity

Not available.

Not available.

Not available.

Not available.

10. Stability and Reactivity

Reactivity

The product is stable and non reactive under normal conditions of use, storage and transport.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Chemical stability Stable under recommended storage conditions.

Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the

flash point. Do not mix with other chemicals.

Incompatible materials Strong oxidizing agents. Isocyanates. Chlorine.

Hazardous decomposition

products

May include and are not limited to: Oxides of nitrogen. Hydrogen chloride. Oxides of carbon.

11. Toxicological Information

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

Information on likely routes of exposure

Ingestion May cause stomach distress, nausea or vomiting.

Inhalation Prolonged inhalation may be harmful.

Skin contact May cause irritation.

Eye contact Causes serious eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Information on toxicological effects

Acute toxicity

Components Species Test Results

Amides, coco, N,N-bis(hydroxyethyl) (CAS 68603-42-9)

Acute Dermal

LD50 Rabbit > 2000 mg/kg, EPA

Inhalation

LC50 Not available

Oral

LD50 Rat > 5000 mg/kg, HSDB

12200 mg/kg, HSDB

Ethanol, 2,2"-iminobis- (CAS 111-42-2)

Acute Dermal

LD50 Rabbit 11.9 ml/kg, HSDB

Rat 8328 mg/kg, RTECS

Inhalation

LC50 Not available

Oral

LD50 Rat 2500 mg/kg, ECHA

1820 mg/kg, ECHA 1600 mg/kg, ECHA 1100 mg/kg, ECHA 710 mg/kg, HSDB

Species Test Results Components Glycerol (CAS 56-81-5) Acute Dermal LD50 Guinea pig 45 ml/kg, Days, ECHA Rabbit > 10000 mg/kg, SIGMA ALDRICH 23000 mg/kg, CCOHS Inhalation LC50 Rat > 570 mg/m3, 1 Hours, HSDB > 143 mg/m³, 4 Hours, CCOHS 4655 mg.min/l, 7 Hours, ECHA Oral LD50 > 10000 mg/kg, ECHA Guinea pig Mouse 23000 mg/kg, CCOHS 20.8 ml/kg, ECHA Rat > 12600 mg/kg, SIGMA ALDRICH 27200 mg/kg, CCOHS 18300 mg/kg, ECHA Isopropanol (CAS 67-63-0) Acute Dermal LD50 Rabbit 12800 mg/kg, HSDB 16.4 ml/kg, 24 Hours, ECHA Inhalation LC50 Rat > 10000 ppm, 6 Hours, ECHA 16970 mg/l/4h, HMIRA Oral LD50 Dog 4797 mg/kg, HSDB Mouse 3600 mg/kg, HSDB Rabbit 5030 mg/kg, HSDB 5 g/kg, HSDB Rat 5.8 g/kg, ECHA Polyethylene glycol (CAS 25322-68-3) Acute Dermal LD50 Rat > 2000 mg/kg, ECHA Inhalation LC50 Not available Oral LD50 Rat 5010 mg/kg, ECHA 4300 mg/kg, ECHA Sulfuric acid, monododecyl ester, compd. with 2,2",2""-nitrilotris[ethanol] (1:1) (CAS 139-96-8) Acute Dermal LD50 Not available Inhalation Not available LC50 Oral LD50 Not available Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. **Exposure minutes** Not available.

Not available. Oedema value

Serious eye damage/eye

irritation

Causes serious eye irritation.

Corneal opacity value Not available. Iris lesion value Not available. Conjunctival reddening

value

Not available.

Not available. Conjunctival oedema value Recover days Not available. Respiratory or skin Not available.

sensitization

ACGIH sensitization

Formaldehyde (CAS 50-00-0) Dermal sensitization Respiratory sensitization

Canada - Alberta OELs: Irritant

Ethanol, 2,2",2""-nitrilotris- (CAS 102-71-6) Irritant Glycerol (CAS 56-81-5) Irritant Canada - British Columbia OELs: Respiratory or skin sensitiser

Formaldehyde (CAS 50-00-0) Capable of causing respiratory, dermal or conjunctival

sensitization.

Canada - Manitoba OELs Hazard: Dermal sensitization

Formaldehyde (CAS 50-00-0) Dermal sensitization

Canada - Manitoba OELs Hazard: Respiratory sensitization

Formaldehyde (CAS 50-00-0) Respiratory sensitization

Canada - Saskatchewan OELs Hazard Data: Sensitiser

Formaldehyde (CAS 50-00-0) Sensitizer.

Respiratory sensitization Not available.

Skin sensitization This product is not expected to cause skin sensitization.

Not classified. Mutagenicity

Carcinogenicity Contains potential carcinogens.

ACGIH Carcinogens

1,3-Dichloropropene (CAS 542-75-6) A3 Confirmed animal carcinogen with unknown relevance to

humans.

Ethanol, 2,2"-iminobis- (CAS 111-42-2) A3 Confirmed animal carcinogen with unknown relevance to

humans.

Formaldehyde (CAS 50-00-0) A1 Confirmed human carcinogen.

Methylene chloride (CAS 75-09-2) A3 Confirmed animal carcinogen with unknown relevance to

humans.

Canada - Alberta OELs: Carcinogen category

Formaldehyde (CAS 50-00-0) Suspected human carcinogen.

Canada - Manitoba OELs: carcinogenicity

1,3-DICHLOROPROPENE (CAS 542-75-6) Confirmed animal carcinogen with unknown relevance to humans. DICHLOROMETHANE (CAS 75-09-2) Confirmed animal carcinogen with unknown relevance to humans. DIETHANOLAMINE, INHALABLE FRACTION AND Confirmed animal carcinogen with unknown relevance to humans.

VAPOR (CAS 111-42-2)

FORMALDEHYDE (CAS 50-00-0) Confirmed human carcinogen.

Canada - Quebec OELs: Carcinogen category

1,3-Dichloropropene (CAS 542-75-6) Detected carcinogenic effect in animals. Formaldehyde (CAS 50-00-0) Suspected carcinogenic effect in humans. Methylene chloride (CAS 75-09-2) Suspected carcinogenic effect in humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

1,3-Dichloropropene (CAS 542-75-6) Volume 41, Supplement 7, Volume 71 - 2B Possibly carcinogenic

to humans.

Amides, coco, N,N-bis(hydroxyethyl) (CAS 68603-42-9)

Volume 101 - 2B Possibly carcinogenic to humans. Ethanol, 2,2",2""-nitrilotris- (CAS 102-71-6) Volume 77 - 3 Not classifiable as to carcinogenicity to humans. Ethanol, 2,2"-iminobis- (CAS 111-42-2) Volume 77, Volume 101 - 2B Possibly carcinogenic to humans. Formaldehyde (CAS 50-00-0) Volume 88, Volume 100F 1 Carcinogenic to humans.

Methylene chloride (CAS 75-09-2) Volume 71, Volume 110 - 2A Probably carcinogenic to humans.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

1,3-Dichloropropene (CAS 542-75-6)

Amides, coco, N,N-bis(hydroxyethyl) (CAS 68603-42-9)

Ethanol, 2,2"-iminobis- (CAS 111-42-2)

Formaldehyde (CAS 50-00-0)

Methylene chloride (CAS 75-09-2)

Methylene chloride (CAS 75-09-2)

US NTP Report on Carcinogens: Anticipated carcinogen

1,3-Dichloropropene (CAS 542-75-6) Reasonably Anticipated to be a Human Carcinogen. Methylene chloride (CAS 75-09-2) Reasonably Anticipated to be a Human Carcinogen.

Cancer

US NTP Report on Carcinogens: Known carcinogen

Formaldehyde (CAS 50-00-0) Known To Be Human Carcinogen.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Formaldehyde (CAS 50-00-0) Cancer

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Teratogenicity Specific target organ toxicity -

Not classified.

single exposure

Specific target organ toxicity -

Not classified.

repeated exposure

Not available.

Aspiration hazard Chronic effects

Prolonged inhalation may be harmful.

12. Ecological Information

Ecotoxicity See below Ecotoxicological data Components **Species Test Results** Ethanol, 2,2"-iminobis- (CAS 111-42-2) Algae IC50 Algae 7.8 mg/L, 72 Hours EC50 Daphnia 55 mg/L, 48 Hours Crustacea Aquatic Fish LC50 Fathead minnow (Pimephales promelas) 100 mg/L, 96 hours Glycerol (CAS 56-81-5) Aquatic LC50 Fish Rainbow trout.donaldson trout 51000 - 57000 mg/L, 96 hours (Oncorhynchus mykiss) Isopropanol (CAS 67-63-0) Algae IC50 Algae 1000 mg/L, 72 Hours EC50 Daphnia 13299 mg/L, 48 Hours Crustacea Aquatic LC50 Bluegill (Lepomis macrochirus) Fish > 1400 mg/L, 96 hours Polyethylene glycol (CAS 25322-68-3)

Aquatic

Fish LC50 Atlantic salmon (Salmo salar) > 1000 mg/L, 96 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available. No data available. Mobility in soil Mobility in general Not available.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation Other adverse effects

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal Considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material

> and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport Information

Transport of Dangerous Goods (TDG) Proof of Classification

Classification Method: Classified as per Part 2, Sections 2.1 - 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.

U.S. Department of Transportation (DOT)

Basic shipping requirements:

UN number UN1993

Proper shipping name Flammable liquids, n.o.s.

Technical name Isopropanol

Hazard class Limited Quantity - US

Packing group III

Special provisions B1, B52, IB3, T4, TP1, TP29

Packaging exceptions 150

Transportation of Dangerous Goods (TDG - Canada)

Basic shipping requirements:

UN number UN1993

Proper shipping name FLAMMABLE LIQUID, N.O.S.

Technical name Isopropanol

Hazard class Limited Quantity - Canada

Packing group III Special provisions 16, 150

IATA/ICAO (Air)

Basic shipping requirements:

UN number UN1993

Proper shipping name Flammable liquid, n.o.s.

Technical name Isopropanol

Hazard class Limited Quantity - IATA

Packing group III

IMDG (Marine Transport)

Basic shipping requirements:

UN number UN1993


Proper shipping name FLAMMABLE LIQUID, N.O.S.

Technical name Isopropanol

Hazard class Limited Quantity - IMDG

Packing group

DOT; IMDG; TDG



15. Regulatory Information

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Canada CEPA Schedule I: Listed substance

Formaldehyde (CAS 50-00-0)

Methylene chloride (CAS 75-09-2)

Listed.

Canada NPRI VOCs with Additional Reporting Requirements: Mass reporting threshold/Identification Number

 Formaldehyde (CAS 50-00-0)
 1 TONNES

 Isopropanol (CAS 67-63-0)
 1 TONNES

 Methanol (CAS 67-56-1)
 1 TONNES

Canada Priority Substances List (Second List): Listed substance

Formaldehyde (CAS 50-00-0) Listed.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

WHMIS 2015 Exemptions Not applicable

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All chemicals used are on the TSCA inventory.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

1,3-Dichloropropene (CAS 542-75-6)Listed.Ethanol, 2,2"-iminobis- (CAS 111-42-2)Listed.Formaldehyde (CAS 50-00-0)Listed.Isopropanol (CAS 67-63-0)Listed.Methanol (CAS 67-56-1)Listed.Methylene chloride (CAS 75-09-2)Listed.

US EPCRA Section 304 Extremely Haz. Subs. & CERCLA Haz. Subs.: Section 304 EHS reportable quantity

Formaldehyde (CAS 50-00-0) 100 LBS

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Formaldehyde (CAS 50-00-0)

Methylene chloride (CAS 75-09-2)

Cancer

Cancer

Formaldehyde (CAS 50-00-0) Skin sensitization

Methylene chloride (CAS 75-09-2) Heart

Formaldehyde (CAS 50-00-0)

Methylene chloride (CAS 75-09-2)

Respiratory sensitization
Central nervous system

Formaldehyde (CAS 50-00-0)

Methylene chloride (CAS 75-09-2)

Formaldehyde (CAS 50-00-0)

Methylene chloride (CAS 75-09-2)

Skin irritation

Methylene chloride (CAS 75-09-2)

Formaldehyde (CAS 50-00-0) respiratory tract irritation

Methylene chloride (CAS 75-09-2)

Formaldehyde (CAS 50-00-0)

Eye irritation

Acute toxicity

Flammability

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

INO

SARA 311/312 Hazardous

No

chemical

SARA 313 (TRI reporting)

 Chemical name
 CAS number
 % by wt.

 Isopropanol
 67-63-0
 3-7*

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

1,3-Dichloropropene (CAS 542-75-6) Ethanol, 2,2"-iminobis- (CAS 111-42-2)

Formaldehyde (CAS 50-00-0)

Methylene chloride (CAS 75-09-2)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Formaldehyde (CAS 50-00-0)

US state regulations

US - California Hazardous Substances (Director's): Listed substance

1,3-Dichloropropene (CAS 542-75-6)Listed.Ethanol, 2,2"-iminobis- (CAS 111-42-2)Listed.Formaldehyde (CAS 50-00-0)Listed.Isopropanol (CAS 67-63-0)Listed.Methanol (CAS 67-56-1)Listed.Methylene chloride (CAS 75-09-2)Listed.

US - Illinois Chemical Safety Act: Listed substance

1,3-Dichloropropene (CAS 542-75-6)

Ethanol, 2,2"-iminobis- (CAS 111-42-2)

Formaldehyde (CAS 50-00-0)

Isopropanol (CAS 67-63-0)

Methanol (CAS 67-56-1)

Methylene chloride (CAS 75-09-2)

US - Louisiana Spill Reporting: Listed substance

1,3-Dichloropropene (CAS 542-75-6)Listed.Ethanol, 2,2"-iminobis- (CAS 111-42-2)Listed.Formaldehyde (CAS 50-00-0)Listed.Isopropanol (CAS 67-63-0)Listed.Methanol (CAS 67-56-1)Listed.Methylene chloride (CAS 75-09-2)Listed.

US - Michigan Critical Materials Register: Parameter number

Methylene chloride (CAS 75-09-2)

US - Minnesota Haz Subs: Listed substance

1,3-Dichloropropene (CAS 542-75-6) Listed. Ethanol, 2,2",2""-nitrilotris- (CAS 102-71-6) Listed. Ethanol, 2,2"-iminobis- (CAS 111-42-2) Listed. Formaldehyde (CAS 50-00-0) Listed. Glycerol (CAS 56-81-5) Listed. Isopropanol (CAS 67-63-0) Listed. Methanol (CAS 67-56-1) Listed. Methylene chloride (CAS 75-09-2) Listed. Polyethylene glycol (CAS 25322-68-3) Listed.

US - New Jersey RTK - Substances: Listed substance

1,3,5,7-Tetraazatricyclo[3.3.1.13,7]decane (CAS 100-97-0)

1,3-Dichloropropene (CAS 542-75-6)

Ethanol, 2,2",2""-nitrilotris- (CAS 102-71-6)

Ethanol, 2,2"-iminobis- (CAS 111-42-2)

Formaldehyde (CAS 50-00-0)

Glycerol (CAS 56-81-5)

Isopropanol (CAS 67-63-0)

Methanol (CAS 67-56-1)

Methylene chloride (CAS 75-09-2)

US - North Carolina Toxic Air Pollutants: Listed substance

Formaldehyde (CAS 50-00-0)

Methylene chloride (CAS 75-09-2)

US - Pennsylvania RTK - Hazardous Substances: Special hazard

1,3-Dichloropropene (CAS 542-75-6)

Formaldehyde (CAS 50-00-0)

Methylene chloride (CAS 75-09-2)

US - Texas Effects Screening Levels: Listed substance

1,3,5,7-Tetraazatricyclo[3.3.1.13,7]decane (CAS	Listed.
100-97-0)	
1,3-Dichloropropene (CAS 542-75-6)	Listed.
Amides, coco, N,N-bis(hydroxyethyl) (CAS 68603-42-9)	Listed.
Ethanol, 2,2",2""-nitrilotris- (CAS 102-71-6)	Listed.
Ethanol, 2,2"-iminobis- (CAS 111-42-2)	Listed.
Formaldehyde (CAS 50-00-0)	Listed.
Glycerol (CAS 56-81-5)	Listed.
Isopropanol (CAS 67-63-0)	Listed.
Methanol (CAS 67-56-1)	Listed.
Methylene chloride (CAS 75-09-2)	Listed.

Polyethylene glycol (CAS 25322-68-3)

Listed.

US - Washington Chemical of High Concern to Children: Listed substance

Formaldehyde (CAS 50-00-0)

Methylene chloride (CAS 75-09-2)

US. Massachusetts RTK - Substance List

1,3-Dichloropropene (CAS 542-75-6)

Ethanol, 2,2",2""-nitrilotris- (CAS 102-71-6)

Ethanol, 2,2"-iminobis- (CAS 111-42-2)

Formaldehyde (CAS 50-00-0)

Glycerol (CAS 56-81-5)

Isopropanol (CAS 67-63-0)

Methanol (CAS 67-56-1)

Methylene chloride (CAS 75-09-2)

US. New Jersey Worker and Community Right-to-Know Act

1,3-Dichloropropene (CAS 542-75-6)

Ethanol, 2,2"-iminobis- (CAS 111-42-2)

Formaldehyde (CAS 50-00-0)

Isopropanol (CAS 67-63-0)

Methanol (CAS 67-56-1)

Methylene chloride (CAS 75-09-2)

US. Pennsylvania Worker and Community Right-to-Know Law

1,3-Dichloropropene (CAS 542-75-6)

Ethanol, 2,2",2""-nitrilotris- (CAS 102-71-6)

Ethanol, 2,2"-iminobis- (CAS 111-42-2)

Formaldehyde (CAS 50-00-0)

Glycerol (CAS 56-81-5)

Isopropanol (CAS 67-63-0)

Methanol (CAS 67-56-1)

Methylene chloride (CAS 75-09-2)

US. Rhode Island RTK

1,3-Dichloropropene (CAS 542-75-6)

Ethanol, 2,2",2""-nitrilotris- (CAS 102-71-6)

Ethanol, 2,2"-iminobis- (CAS 111-42-2)

Formaldehyde (CAS 50-00-0)

Glycerol (CAS 56-81-5)

Isopropanol (CAS 67-63-0)

Methanol (CAS 67-56-1)

Methylene chloride (CAS 75-09-2)

US. California Proposition 65



WARNING: This product can expose you to chemicals including Formaldehyde, which is known to the State of California to cause cancer, and Methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

1,3-Dichloropropene (CAS 542-75-6) Listed: January 1, 1989 Amides, coco, N,N-bis(hydroxyethyl) (CAS Listed: June 22, 2012

68603-42-9)

Ethanol, 2,2"-iminobis- (CAS 111-42-2)

Formaldehyde (CAS 50-00-0)

Methylene chloride (CAS 75-09-2)

Listed: June 22, 2012

Listed: January 1, 1988

Listed: April 1, 1988

US - California Proposition 65 - CRT: Listed date/Developmental toxin

Methanol (CAS 67-56-1) Listed: March 16, 2012

Inventory status


Country(s) or regionInventory nameOn inventory (yes/no)*CanadaDomestic Substances List (DSL)NoCanadaNon-Domestic Substances List (NDSL)YesUnited States & Puerto RicoToxic Substances Control Act (TSCA) InventoryYes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

HEALTH *	2
FLAMMABILITY	2
PHYSICAL HAZARD	0
PERSONAL PROTECTION	х



Disclaimer

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date 23-April-2019

Version # 02

Effective date 23-April-2019

Prepared by Nu-Calgon Technical Service Phone: (314) 469-7000

Other information For an updated SDS, please contact the supplier/manufacturer listed on the first page of the

document.